## Biohydrogen production by the co-culture of *Clostridium beijerinckii* and *Rhodobacter capsulatus* with acid resistance

Yang Zhang<sup>1\*</sup>, Jifeng Yuan<sup>1</sup>, Liejin Guo<sup>2</sup>

- 1 School of Life and Science, Xiamen University, Xiamen, 361102, P.R. China
- 2 State Key Laboratory of Multiphase Flow in Power Engineering, Xi'an Jiaotong University, Xi'an, 710049, P.R. China



The co-culture of dark- and photo-fermentative bacteria has been regarded as a promising way for bio-hydrogen production. However, the low hydrogen production performance of photo-fermentative bacteria at acidic condition badly limits the co-culture hydrogen production. In this work, we obtained five mutants of *Rhodobacter capsulatus* with acid resistance by Tn7 transposon, which is an efficient genetic tool for random mutation. The mutant of *R. capsulatus* ZYac2 with optimum hydrogen production performance at low pH was selected for co-culture fermentation with *Clostridium beijerinckii* YA001. A four-factor and four-level orthogonal experimental array was designed and conducted to study the effects of the ratio of dark- to photo-fermentative bacteria, initial pH, phosphate concentration, and light intensity on hydrogen yield. The highest hydrogen yield of 3948.3 mL/L was obtained at the ratio of dark- to photo-fermentative bacteria of 1:1, light intensity of 9000 lux, initial pH of 7.5, and phosphate buffer concentration of 40 mM. And the significance of the four parameters on hydrogen yield was listed in high-to-low order as: initial pH, ratio of dark- to photo-fermentative bacteria, phosphate concentration, and light intensity. At last, a high hydrogen yield of 326 mL/g-cornstalk was obtained by this co-culture system using cornstalk pretreated by diluted acid as a substrate.




Fig.1- Schematic diagram of Tn7 transposon mutation

Table 1- A L<sub>16</sub> (4<sup>4</sup>) orthogonal array and experimental results

		_	_		
Ratio of dark- and photo-fermentative	Light intensity (B)	Initial pH (C)	Phosphate buffer concentration	Hydrogen yield / mL/L	Maximum hydrogen production rate $(V_m)$
bacteria (A)	/lux		(D)/mM		/mL/Lh
1:0.2	3000	7	20	2170.6±51.2	80.2±2.1
1:1	7000	8	20	$3049.5 \pm 62.8$	$93.6 \pm 3.6$
1:3	9000	8.5	20	2267.4±43.8	$73.5 \pm 5.1$
1:0.5	5000	7.5	20	$2063.3 \pm 59.8$	$71.2 \pm 9.2$
1:0.5	3000	8.5	40	$2628.6 \pm 68.3$	$79.4 \pm 7.3$
1:3	3000	8	30	$2641.3 \pm 46.1$	$78.6 \pm 5.8$
1:1	3000	7.5	50	$2579.2 \pm 50.5$	$73.1 \pm 6.4$
1:0.2	7000	8.5	50	$2397.1 \pm 39.6$	$72.4 \pm 2.9$
1:3	5000	7	50	2534.8±31.5	$80.4 \pm 3.7$
1:0.2	5000	8	40	$3059.7 \pm 67.1$	$80.3 \pm 2.4$
1:0.5	9000	8	50	3559.7±74.9	$86.4 \pm 6.9$
1:0.5	7000	7	30	$2430.9 \pm 64.4$	$73.6 \pm 12.1$
1:1	9000	7	40	$2761.3 \pm 84.1$	$82.2 \pm 6.9$
1:1	5000	8.5	30	3269.4±81.9	$96.1 \pm 4.6$
1:3	7000	7.5	40	2724.5±91.2	$80.4 \pm 5.8$
1:0.2	9000	7.5	30	$3126.8 \pm 83.6$	$93.8 \pm 7.1$

Table 4- Hydrogen production by different fermentation systems using cornstalk pretreated by diluted acid

Fermentation type	Hydrogen yield /mL/g-cornstalk	$V_m$ /mL/L/h
Photo-fermentation	$242.6 \pm 6.8$	$65.1 \pm 5.9$
Dark-fermentation	$105.8 \pm 5.7$	$131.7 \pm 10.7$
Two-step fermentation	$291.3 \pm 10.1$	
Co-culture fermentation	$326.5 \pm 12.3$	$102.7 \pm 5.9$




Fig.2- Hydrogen production by transposon mutants

Table 2- Variance analysis of different factors on hydrogen yield

Factors	Sum of square	Freedom	Mean of	F	P	Significance
			square			
A	0.688E6	3	0.196E6	1.015	0.034	Yes
В	0.375E6	3	0.125E6	0.671	0.034	Yes
C	0.811E6	3	0.270E6	1.451	0.028	Yes
D	0.555E6	3	0.185E6	0.992	0.021	Yes
Error	0.559E6	3	0.186E6		$\alpha = 0.05$	

The significance of the four parameters on hydrogen yield was listed in high-to-low order as: initial pH, ratio of dark- to photo-fermentative bacteria, phosphate concentration, and light intensity

Table 3- Verification tests for orthogonal experiments under the ratio of dark- to photofermentative bacteria of 1:1, initial pH of 7.5, and phosphate buffer concentration of 40 mM

lk	Light intensity /lux	V <sub>m</sub> /mL/Lh	Hydrogen yield/mL/L	Final pH
	3000	119.5±22.1	$3359.4 \pm 100.7$	6.21
	5000	$114.2 \pm 11.4$	$3451.8 \pm 126.4$	6.34
	7000	$107.9 \pm 24.7$	$3851.7 \pm 153.7$	6.61
	9000	$104.8 \pm 10.7$	$3948.3 \pm 116.5$	6.70